Transport Vial

Ref. 151000

10ml 10% Formalin & Triton X 40 units









Unscrew cap from 30ml vial containing 10ml fixative.

2




Add 5g of sample to the vial, bringing the level to the sample line.

3



4



Return the vial with enclosed emulsified sample to the laboratory for diagnosis.

In the laboratory intestinal parasites are confirmed by the identification of cysts, protozoan trophozoites, larvae and helminth eggs. The priorities of these clinical laboratories do not always permit the immediate examination of a fresh sample.

The prompt collection and transportation of these samples cannot always be guaranteed.

Furthermore, freezing, refrigeration and / or incubation of samples cannot ensure the full recovery of parasites at all stages of identification.

The Apacor Transportation Vial will preserve the intestinal parasites in the faecal material until such time it can be examined by a qualified parasitologist.

















This Safety Datasheet complies with the requirements of Regulation (EC) No 1907/2006

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND THE COMPANY/UNDERTAKING

1.1 Product Identifier: 10% Formalin

145200, 145300, 145400, 145420, 145800, 145900, 1460, 146200, 146300, 146400, 108900, 108910, 148998, 149910, 151000, 900000, 903000, 905000, 908000

1.2 Relevant identified uses of the substance or mixture and uses advised against: laboratory chemical (in vitro diagnostic)

1.3 Details of the supplier of the Safety Data Sheet:

Apacor Limited, Unit 5 Sapphire Centre, Fishponds Road, Wokingham, Berkshire, RG41 2QL, United Kingdom +44 (0) 118 979 5566 technical@apacor.com

1.4 Emergency telephone number:

+44 (0)118 979 5566

(Monday-Friday 0900-1700 excluding UK Public Holidays)

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]: Acute toxicity, Oral (Category 4), H302
Skin sensitisation (Category 1), H317
Acute toxicity, Inhalation (Category 4), H332
Germ cell mutagenicity (Category 2), H341
Carcinogenicity (Category 1B), H350

See Section 16 for the full text of H-Statements mentioned in this Section.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]



Pictogram Signal word

Danger

Hazard statement(s)

H302 Harmful if swallowed

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects

H350 May cause cancer

Contains Formaldehyde.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

See Section 16 for the full text of H-Statements mentioned in this Section.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS 3.2 Mixtures

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component: Formaldehyde

CAS No: 50-00-0 EC No: 200-001-8 Index No: 605-001-00-5

Classification: Acute Tox. 3 (H301 + H311 + H331), Skin Corr. 1B (H314), Skin Sens. 1 (H317), Muta. 2 (H341), Carc. 1B (H350)

Component: **Methanol** CAS No: 67-56-1 EC No: 200-659-6 Index No: 603-001-00-x

Concentration: < 5%

Registration No: 01-2119433307-44-xxxx

Classification: Flam. Liq. 2 (H225); Acute Tox. 3 (H301 + H311 +

H331); STOT SE 1 H370 Concentration: < 1%

See Section 16 for the full text of H-Statements mentioned in

this Section.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (Section 2.2) and/or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



This Safety Datasheet complies with the requirements of Regulation (EC) No 1907/2006

5.2 Special hazards arising from the substance or mixture Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective gear.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see Section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect and place in container for disposal according to local regulations (see Section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal, see Section 13.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition—no smoking. Take measures to prevent the build-up of electrostatic charge. For precautions see Section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

No other specific uses are specified apart from those listed in Section 1.2.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters

Exposure limits: this product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

	Formaldehyde	Methanol
	50-00-0	67-56-1
Austria	STEL: 0.5 ppm	STEL: 800 ppm
	STEL: 0.6 mg/m ³	STEL: 1040 mg/m ³
	TWA: 0.5 ppm	TWA: 200 ppm
	TWA: 0.6 mg/m ³	TWA: 260 mg/m ³
Belgium	STEL: 0.3 ppm	STEL: 250 ppm
	STEL: 0.38 mg/m ³	STEL: 333 mg/m ³
		TWA: 200 ppm
		TWA: 266 mg/m ³

	Formaldehyde	Methanol
	50-00-0	67-56-1
Denmark	STEL: 0.3 ppm	STEL: 400 ppm
	STEL: 0.4 mg/m ³	STEL: 520 mg/m ³
	TWA: 0.3 ppm	TWA: 200 ppm
	TWA: 0.4 mg/m ³	TWA: 260 mg/m ³
France	TWA: 0.5 ppm	STEL: 1000 ppm
	STEL: 1 ppm	STEL: 1300 mg/m ³
		TWA: 200 ppm
		TWA: 260 mg/m ³
Germany	STEL: 0.6 ppm	STEL: 800 ppm
	STEL: 0.74 mg/m ³	STEL: 1080 mg/m ³
	TWA: 0.3 ppm	TWA: 200 ppm
	TWA: 0.37 mg/m ³	TWA: 270 mg/m ³
Ireland	STEL: 2 ppm	TWA: 200 ppm
	STEL: 2.5 mg/m ³	TWA: 260 mg/m ³
	TWA: 2 ppm	
	TWA: 2.5 mg/m ³	
Italy		TWA: 200 ppm
		TWA: 260 mg/m ³
Poland	STEL: 1 mg/m ³	STEL: 300 mg/m ³
	TWA: 0.5 mg/m ³	TWA: 100 mg/m ³
Portugal	STEL: 0.3 ppm	STEL: 250 ppm
		TWA: 200 ppm
		TWA: 260 mg/m ³
Spain	STEL: 0.3 ppm	STEL: 250 ppm
	STEL: 0.37 mg/m ³	STEL: 333 mg/m ³
		TWA: 200 ppm
		TWA: 266 mg/m ³
Sweden	STEL: 0.6 ppm	STEL: 250 ppm
	STEL: 0.74 mg/m ³	STEL: 350 mg/m ³
	TWA: 0.3 ppm	TWA: 200 ppm
	TWA: 0.37 mg/m ³	TWA: 250 mg/m ³
The Netherlands	STEL: 0.5 mg/m ³	TWA: 133 mg/m ³
	TWA: 0.15 mg/m ³	
UK	STEL: 2 ppm	STEL: 250 ppm
	STEL: 2.5 mg/m ³	STEL: 333 mg/m ³
	TWA: 2 ppm	TWA: 200 ppm
	TWA: 2.5 mg/m ³	TWA: 266 mg/m ³

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.2.2 Personal protective equipment

- (a) Eye/face protection: Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
- (b) Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves should satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
- (c) Body Protection: Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- (d) Respiratory protection: Where risk assessment shows airpurifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested



This Safety Datasheet complies with the requirements of Regulation (EC) No 1907/2006

and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.2.3 Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquidb) Odour no data available

- c) Odour threshold no data available
- d) pH no data available
- e) Melting point / freezing point no data available
- f) Initial boiling point and boiling range 100°C at 1.013 hPa
- g) Flash point 85°C
- h) Evaporation rate no data available
- i) Flammability (solid, gas) no data available
- j) Upper/lower flammability or explosive limits

Upper 70% (V), Lower 7% (V)

- k) Vapour pressure 53hPa at 39°C
- I) Vapour density no data available
- m) Relative density 1.080g/cm³
- n) Solubility (ies) completely miscible
- o) Partition coefficient: n-octanol/water no data available
- p) Auto-ignition temperature no data available
- q) Decomposition temperature no data available
- r) Viscosity no data available
- s) Explosive properties no data available
- t) Oxidising properties no data available

9.2 Other information

No data available.

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

No materials to be mentioned in particular.

10.6 Hazardous decomposition products

Carbon oxides.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information of toxicological effects

Acute toxicity: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available **Respiratory or skin sensitisation:** no data available

Germ cell mutagenicity: no data available

Carcinogenicity: IARC: 1 - Group 1: Carcinogenic to humans

(Formaldehyde)

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data

available

Specific target organ toxicity - repeated exposure: no data

available

Aspiration hazard: no data available

Additional Information

Chemical Name	Chemical Name	
Formaldehyde	LD50 oral 600mg/kg (Rat)	
	LD50 dermal 270mg/kg (Rabbit)	
	LC50 inhalation 0.578mg/L (Rat) 4 h	
Methanol	LD50 oral - rat - 5628mg/kg	
	LC50 inhalation - rat - 4h - 83.2mg/l/4h	

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Ecotoxicity effects: contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Toxicity to Fish	
Formaldehyde	0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100- 136: 96 h Oncorhynchus mykiss mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h
	Pimephales promelas mg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static
Methanol	LC50 - Pimephales promelas – 28200mg / L 96h

Toxicity to Daphnia and other Aquatic Invertebrates

remotely to purpose and content requested in territories	
Formaldehyde	11.3 - 18: 48 h Daphnia magna mg/L EC50 Static
	2: 48 h Daphnia magna mg/L LC50
Methanol	FC50 - Daphnia magna - >10000mg/l

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

Chemical Name	log Pow
Formaldehyde	0.35
Methanol	-0.77

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available.



This Safety Datasheet complies with the requirements of Regulation (EC) No 1907/2006

12.7 Additional information

None.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Dispose of in accordance with all federal, state, and local regulations. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging: Dispose of as unused product.

SECTION 14 TRANSPORT INFORMATION

IATA/DOT/IMDG/TDG: Not regulated.

14.1 UN number: -

14.2 UN proper shipping name: -

14.3 Transport hazard class(es): -

14.4 Packing group: -

14.5 Environmental hazards: -

14.6 Special precautions for user: -

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No data available.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for this product.

SECTION 16 OTHER INFORMATION

Full text of H-Statements referred to in Sections 2 and 3

H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs.

Acute Tox. Acute toxicity

Carc. Carcinogenicity

Flam. Liq. Flammable liquids

Muta. Germ cell mutagenicity.

Skin Corr. Skin corrosion

Skin Sens. Skin sensitisation

STOT SE Specific target organ toxicity - single exposure

Amended sections are indicated by a line in the border.

The information supplied in this SDS is correct to the best of our knowledge. We do not accept any liability for loss, injury or damage, which may result from its use.



MDSS GmbH Schiffaraben 41 30175 Hanover Germany



TRITON X SOLUTION SAFETY DATA SHEET

This Safety Datasheet complies with the requirements of Regulation (EC) No 1907/2006

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND THE COMPANY/UNDERTAKING

1.1 Product Identifier: 1472, 172018

TRITON X Solution

Used at concentration of \leq 0.1% in: 145300, 145400, 145420, 145500, 145501, 145800, 145900, 146300, 146400, 146500, 146501, 108900, 108910, 108920, 108935, 148998, 149910, 149920, 151000, 249400, 900000, 901000, 903000, 905000, 906000, 908000

1.2 Relevant identified uses of the substance or mixture and uses advised against: for laboratory use (in vitro diagnostic).

1.3 Details of the supplier of the Safety Data Sheet:

Apacor Limited, Unit 5 Sapphire Centre, Fishponds Road, Wokingham, Berkshire, RG41 2QL, United Kingdom +44 (0) 118 979 5566 technical@apacor.com

1.4 Emergency telephone number:

+44 (0)118 979 5566

(Monday-Friday 0900-1700 excluding UK Public Holidays)

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Serious eye damage (Category1), H318

See Section 16 for the full text of H-Statements mentioned in this Section.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Pictogram Signal word

Danger

Hazard statement(s)

H318 Causes serious eye damage

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

See Section 16 for the full text of H-Statements mentioned in this Section.

2.3 Other hazards

None known.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS 3.2 Mixtures

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component: **Triton X-100** (concentration 10–20%) (included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No 1907/2006 (REACH))

CAS No: 9002-93-1

EC No: -

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

Classification: Acute Tox. 4 (H302); Serious Eye Dam. 1 (H318)

Concentration: 5-10%

See Section 16 for the full text of H-Statements mentioned in this Section.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of eye contact: rinse out with plenty of water. Immediately consult an ophthalmologist.

If swallowed: immediately make victim drink water (2 glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion. Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Use water spray, foam, dry chemical or carbon dioxide. (Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.)

Unsuitable extinguishing media: For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency



TRITON X SOLUTION SAFETY DATA SHEET

This Safety Datasheet complies with the requirements of Regulation (EC) No 1907/2006

procedures, consult an expert.

Advice for emergency responders: Protective equipment see Section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal, see Section 13.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. For precautions see Section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Recommended storage temperature see product label.

7.3 Specific end use(s)

No other specific uses are specified apart from those listed in Section 1.2.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.2.2 Personal protective equipment

- (a) Eye/face protection: Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
- (b) Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves should satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
- (c) Body Protection: Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- (d) Respiratory protection: Where risk assessment shows airpurifying respirators are appropriate use a full-face respirator

with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.2.3 Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties
- a) Appearance Form: clear, liquid; Colour: light yellow
- b) Odour no data available
- c) Odour threshold no data available
- d) pH 9.7
- e) Melting point / freezing point approx. 6°C
- f) Initial boiling point and boiling range 200°C
- g) Flash point 251°C
- h) Evaporation rate no data available
- i) Flammability (solid, gas) no data available
- j) Upper/lower flammability or explosive limits no data available
- k) Vapour pressure <1 hPa at 25°C
- I) Vapour density no data available
- m) Relative density 1.070 g/cm³
- n) Solubility (ies) Soluble in water
- o) Partition coefficient: n-octanol/water no data available
- p) Auto-ignition temperature no data available
- q) Decomposition temperature no data available
- r) Viscosity no data available
- s) Explosive properties no data available
- t) Oxidising properties no data available
- 9.2 Other information no data available

SECTION 10 STABILITY AND REACTIVITY 10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6 Hazardous decomposition products

Other decomposition products—no data available. In the event of fire: see Section 5.



TRITON X SOLUTION SAFETY DATA SHEET

This Safety Datasheet complies with the requirements of Regulation (EC) No 1907/2006

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information of toxicological effects

Acute toxicity: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity: IARC: no component of this product present at levels greater than 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC. Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data

available

Specific target organ toxicity - repeated exposure: no data

available

Aspiration hazard: no data available

Additional information: RTECS: not available. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

11.2 Further information

Triton X-100

Acute oral toxicity: LD50 Rat: 1,800 mg/kg (RTECS)

Germ cell mutagenicity: Genotoxicity in vitro Mutagenicity (mammal cell test): Mouse lymphoma test Result: negative

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

Components: Triton X-100

Toxicity to fish

LC50 Lepomis macrochirus: 2,800 - 3,200 μg/l; 96 h Toxicity to daphnia and other aquatic invertebrates

LC50 Daphnia magna: 11.2 mg/l; 48 h

12.7 Additional information

No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Offer surplus and non-recyclable solutions to a

licensed disposal company.

Contaminated packaging: Dispose of as unused product.

SECTION 14 TRANSPORT INFORMATION

IATA/DOT/IMDG/TDG: Not regulated.

14.1 UN number: -

14.2 UN proper shipping name: -

14.3 Transport hazard class(es): -

14.4 Packing group: -

14.5 Environmental hazards: -

14.6 Special precautions for user: -

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/

legislation specific for the substance or mixture

Substances of very high concern (SVHC): This product does contain substances of very high concern above the respective regulatory limit (>0.1% w/w), Regulation (EC) No 1907/2006

(REACH), Article 57). Contains: Triton X-100.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for this

product.

SECTION 16 OTHER INFORMATION Full text of H-Statements referred to in Sections 2 and 3

H302 Harmful if swallowed

H318 Causes serious eye damage

Acute Tox. Acute Toxicity

Serious Eye Dam. Serious Eye Damage

Amended sections are indicated by a line in the border.

The information supplied in this SDS is correct to the best of our knowledge. We do not accept any liability for loss, injury or damage, which may result from its use.



MDSS GmbH Schiffaraben 41 30175 Hanover Germany